




## INSTALLATION DETAIL / Cross Section

### 1/4" POST TERMINATION - PRODUCT DETAIL

ARCHITECTURAL PANEL PRODUCTS INDUSTRIES, LLC



#### USAGE

APPI 1/4" Post Termination installs with 1/2", 3/4" or 1" APPI panels and provides a 1/4" thick, straight and uniform post horizontally or vertically between panels.

#### GUIDE SPECIFICATION

Where indicated on drawings, APPI 1/4" Post Termination, shall be installed. Aluminum shall be extruded alloy 6063 T5, with clear anodized, color anodized or powder coat finish.



#### SIZES

DIM A	NUMBER
1/2"	APPT2550
3/4"	APPT2575
1"	APPT25100


Section View



## INSTALLATION DETAIL / Cross Section

### 1/4" POST INSTALLS - PRODUCT DETAIL

ARCHITECTURAL PANEL PRODUCTS INDUSTRIES, LLC



#### USAGE


APPI 1/4" Post installs with 1/2", 3/4" or 1" APPI panels and provides a 1/4" thick, straight and uniform post horizontally or vertically between panels.

#### GUIDE SPECIFICATION

Where indicated on drawings, APPI 1/4" Post, shall be installed. Aluminum shall be extruded alloy 6063 T5, with clear anodized, color anodized or powder coat finish.

#### SIZES

DIM A	NUMBER
1/2"	APP2550
3/4"	APP2575
1"	APP25100




Section View



INSTALLATION DETAIL / Cross Section

POST OUTSIDE CORNER - PRODUCT DETAIL

ARCHITECTURAL PANEL PRODUCTS INDUSTRIES, LLC



USAGE


APPI 1/4" Post Outside Corner installs with 1/2", 3/4" or 1" APPI panels at 90 degree outside corners, is abuse resistant, and provides a straight and uniform 1/4" exposed post at edges of APPI panels.

GUIDE SPECIFICATION

Where indicated on drawings, APPI 1/4" Post Outside Corner, shall be installed. Aluminum shall be extruded alloy 6063 T5, with clear anodized, color anodized or powder coat finish.

SIZES

DIM A	NUMBER
1/2"	APPOSC2550
3/4"	APPOSC2575
1"	APPOSC25100



Section View